

Enrich Your Web Modeling Tools with Custom Forms

Stéphane Bégaudeau - Obeo

Me

- Software architect on Sirius Web
- 15 years of contribution in the Sirius ecosystem
 - Acceleo
 - EEF
 - Sirius Desktop
 - Sirius Web

Sirius Web

Sirius Web

localhost:5173/projects/cdf5f15b-0ebf-429a-b8bf-73c84e6791b8/edit/c0427a3c-52b0-4b33-ab7d-a9f0f97c74fd?selection=6d748870-4c3f-4597-ac92-ff9b973885b8

Papaya - Example

Sirius Web internal test project

RUN COMMANDS...

+ K

?

Explorer

Sirius

Sirius Web - Lifecycle

Sirius Web

HTTP

Project Creation

Project Creation Lifecycle Diagram

MutationCreateProjectDataFetcher

CreateProjectInput over HTTP

IProjectApplicationService

SemanticDataInitializer

ProjectSemanticDataInitializer

CreateProjectInput

Project

Semantic Data

ISemanticDataCreationService

SemanticDataCreatedEvent

Project Semantic Data

Project Creation Lifecycle Diagram

HTTP

channel

Application Layer

CreateProjectInput

listened by

MutationCreateProjectDataFetcher

calls

IProjectApplicationService

calls

SemanticDataInitializer

calls

ProjectSemanticDataInitializer

caused by

Domain Layer

Project

ISemanticDataCreationService

emits

ProjectCreatedEvent

listened by

Semantic Data

ISemanticDataCreationService

emits

SemanticDataCreatedEvent

listened by

Project Semantic Data

ISemanticDataCreationService

emits

ProjectSemanticDataCreatedEvent

caused by

ProjectCreatedEvent

caused by

SemanticDataCreatedEvent

caused by

ProjectSemanticDataCreatedEvent

Details

SemanticDataCreatedEvent

Core Properties

Name

SemanticDataCreatedEvent

Description

Description

Emitted By

SemanticDataCreatedEvent over null

Values

Listened By

SemanticDataCreatedEvent over null

Values

Caused By

ProjectCreatedEvent

Values

Learn more

Follow these links to view the code of this Sirius Web internal test project on Github.

Backend code

Frontend code

React Flow



Sirius Web

- Open source project of the Eclipse Foundation
- Web based modeling workbench
 - Define your concepts
 - Specify how to view and manipulate them
 - Start working 🚀

Sirius Web

localhost:5173/projects/0645ebcc-4455-4858-9b67-4ca264799de3/edit/d7db0110-7aca-4a9e-9898-d5149d60efa9?selection=9e60a5f6-0790-4f9d-ba5a-b32da1faacd5

Studio

RUN COMMANDS... + K ?

Explorer

Domain

franklin

Domain

Project

name

description

applicationConcerns

domains

iterations

ApplicationConcern

name

services

controllers

Service

name

Controller

name

Domain

name

services

Iteration

name

done

View

Domain

Project

name

description

ApplicationConcern

name

Domain

name

Iteration

name

done

Controller

name

Service

name

applicationConcerns [0..*]

domains [0..*]

iterations [0..*]

controllers [0..*]

services [0..*]

services [0..*]

services [0..*]

Entity

Text

Boolean

Number

Details

Service

Core Properties

Name

Service

Super Types

Values

Abstract

React Flow

spring-tools-for-eclipse - sirius-components-papaya/src/main/resources/model/papaya.ecore - Spring Tools for Eclipse

Package Explorer

ContainingLink.java

Contribution.java

Controller.java

DataType.java

Domain.java

Enum.java

EnumLiteral.java

Event.java

Folder.java

FolderElement.java

GenericType.java

Interface.java

InterfaceImplementation.java

Iteration.java

Link.java

Message.java

MessageEmitter.java

MessageListener.java

ModelElement.java

NamedElement.java

Operation.java

OperationalActivity.java

OperationalActor.java

OperationalCapability.java

OperationalEntity.java

OperationalInteraction.java

OperationalProcess.java

Package.java

PapayaFactory.java

PapayaPackage.java

Parameter.java

Priority.java

Project.java

ProvidedService.java

Publication.java

Query.java

Record.java

RecordComponent.java

ReferencingLink.java

Repository.java

RequiredService.java

Service.java

Subscription.java

Tag.java

Task.java

Type.java

TypedElement.java

TypeParameter.java

Visibility.java

org.eclipse.sirius.components.papaya.impl

org.eclipse.sirius.components.papaya.spec

org.eclipse.sirius.components.papaya.spec.derived

org.eclipse.sirius.components.papaya.util

src/main/resources

model

papaya.ecore

papaya.genmodel

JRE System Library [JavaSE-17]

Maven Dependencies

src/test/java

target/generated-sources/annotations

src/test/resources

target/generated-test-sources/test-annotations

src

target

pom.xml

pom.xml.versionsBackup

sirius-components-papaya.iml

sirius-components-papaya-edit [sirius-web sbe/enh/papaya-fix]

papaya.ecore

papaya.genmodel

platform:/resource/sirius-components-papaya/src/main/resources/model/papaya.ecore

papaya

ModelElement

Tag

Link

ReferencingLink -> Link

ContainingLink -> Link

NamedElement -> ModelElement

Container

Folder -> NamedElement, Container

FolderElement

Project -> NamedElement, Container

OperationalCapability -> NamedElement, FolderElement

OperationalEntity -> NamedElement, FolderElement

OperationalActor -> NamedElement, FolderElement

OperationalProcess -> NamedElement, FolderElement

OperationalActivity -> NamedElement, FolderElement

OperationalInteraction -> NamedElement

Instant [java.time.Instant]

Iteration -> NamedElement, FolderElement

Task -> NamedElement, FolderElement

Priority

Contribution -> NamedElement, FolderElement

Component -> NamedElement, FolderElement

ComponentPort -> NamedElement

ComponentExchange -> NamedElement

ProvidedService -> NamedElement

RequiredService -> NamedElement

Visibility

AnnotableElement

Package -> NamedElement, AnnotableElement, FolderElement

Type -> NamedElement, AnnotableElement

TypedElement -> NamedElement, AnnotableElement

GenericType -> ModelElement, AnnotableElement

Annotation -> Type

AnnotationField -> TypedElement

Classifier -> Type

TypeParameter -> NamedElement

Interface -> Classifier

InterfaceImplementation

Class -> Classifier, InterfaceImplementation

Constructor -> AnnotableElement

Attribute -> TypedElement

Operation -> TypedElement

Parameter -> TypedElement

Record -> Classifier, InterfaceImplementation

RecordComponent -> TypedElement

DataType -> Type

Enum -> Type

EnumLiteral -> NamedElement, AnnotableElement

ApplicationConcern -> NamedElement, FolderElement

Controller -> NamedElement, MessageEmitter, MessageListener

Domain -> NamedElement, FolderElement

Service -> NamedElement, MessageListener, MessageEmitter

Problems

Javadoc

Declaration

Git Repositories

Properties

Property

Value

Abstract

false

Default Value

NamedElement -> ModelElement, Container

ESuper Types

Instance Type Name

Interface

false

Name

Project

Selected Object: Project -> NamedElement, Container



Forms

Forms

- Form description
- Same philosophy as diagrams
- Leveraged in various parts of Sirius Web
 - Form representation, Details view, Related Elements view, Model Browser, Diagram Filters...

Forms Java API

- Low level
- Easier integration with existing frameworks
- Can be used for complex use cases
- Higher performance ceiling

Forms Java API

```
Function<VariableManager, String> labelProvider = variableManager → variableManager.get(VariableManager.SELF, Object.class)

    .map(object → "Form " + this.labelService.getStyledLabel(object).toString())

    .orElse(null);
```

```
var formDescription = FormDescription.newFormDescription("Custom Form Description")

    .label("Form description")

    .idProvider(idProvider)

    .labelProvider(labelProvider)

    .targetObjectIdProvider(targetObjectIdProvider)

    .canCreatePredicate(variableManager → true)

    .pageDescriptions(pageDescriptions)

    .iconURLsProvider(variableManager → List.of())

    .build();
```


Forms View DSL

- Ease of use
- Higher level of abstraction
- Default values
- Expression based configuration thanks to AQL

Forms View DSL

```
new FormDescriptionBuilder()  
  
    .name("Form")  
  
    .titleExpression("aql:'Form ' + self.label()")  
  
    .domainType("domain:Domain")  
  
    .preconditionExpression("aql:true")  
  
    .pages(pageDescription)  
  
    .build();
```


Java API vs View DSL

```
Function<VariableManager, String> labelProvider = variableManager → variableManager.get(VariableManager.SELF, Object.class)
    .map(object → "Form " + this.labelService.getStyledLabel(object).toString())
    .orElse(null);
```

```
titleExpression("aql:'Form ' + self.label()")
```

Sirius Web

localhost:5173/projects/0046e224-9281-43c5-9d2c-3558b6be4ce5/edit?selection=747c2c28-4886-4efe-af62-64029cc2e0fa

Studio

RUN COMMANDS... + K ?

Explorer

View

View

Papaya Form

Main Page

Core properties

Name

Description

Homepage

Contents

Elements

Folders

Create a new Model

Select the model to create

Domain

View

Create a new Representation

Select the representation to create

Portal

Open an existing Representation

Select the representation to open

Details

Elements

Core Properties

Name

Elements

Label Expression

Elements

Help Expression

The elements of the project

Diagnostics Expression

Diagnostics Expression

Value Expression

aql:self.elements

Display Expression

aql:candidate.name

Is Deletable Expression

false

Is Enabled Expression

Is Enabled Expression




Widgets

- Button
- Checkbox
- Date / Time
- Image
- Label
- Link
- List
- Multi select
- Radio
- Reference
- Rich text
- Slider
- Select
- Split button
- Text area
- Textfield
- Tree
- And more...

Custom Widgets

- You can contribute your own widgets
 - View definition for specifiers
 - Backend behavior
 - Frontend appearance and behavior
- Multiple examples in the Sirius Web project like the reference widget

Rendering



Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=781da8b8-258e-4f57-93d2-712a2b027a7f

Papaya

Sirius Web internal test project

RUN COMMANDS...

+ K

?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

New form

Core properties

Name

Sirius Web Project

Description

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

- Graphically represent and edit data
- With a modern cloud-based application
- No Desktop Installation Required

Contents

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Folders

Data

Requirements

Specification

Details

sirius-components-representations

Core Properties

Name

sirius-components-representations

Description

Description

Dependencies

Values

Used As Dependency By

None

Additional Information

All Dependencies

None

All Components

None



Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=781da8b8-258e-4f57-93d2-712a2b027a7f

Papaya

Sirius Web internal test project

RUN COMMANDS... + K ?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

New form

Core properties

Name

Sirius Web Project

Description

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

Graphically represent and edit data

With a modern cloud-based application

No Desktop Installation Required

Contents

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Folders

Data

Requirements

Specification

Details

sirius-components-representations

Core Properties

Name

sirius-components-representations

Description

Description

Dependencies

Values

Used As Dependency By

None

Additional Information

All Dependencies

None

All Components

None



Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=781da8b8-258e-4f57-93d2-712a2b027a7f

Papaya

Sirius Web internal test project

RUN COMMANDS... + K ?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

New form

Core properties

Name

Sirius Web Project

Description

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

Graphically represent and edit data

With a modern cloud-based application

No Desktop Installation Required

Contents

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Folders

Data

Requirements

Specification

Details

sirius-components-representations

Core Properties

Name

sirius-components-representations

Description

Description

Dependencies

Values

Used As Dependency By

None

Additional Information

All Dependencies

None

All Components

None



Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=781da8b8-258e-4f57-93d2-712a2b027a7f

Papaya

Sirius Web internal test project

RUN COMMANDS... + K ?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

New form

Core properties

Name

Sirius Web Project

Description

T

B

I

<>

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

Graphically represent and edit data

With a modern cloud-based application

No Desktop Installation Required

Contents

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Folders

Data

Requirements

Specification

Details

sirius-components-representations

Core Properties

Name

sirius-components-representations

Description

T

B

I

<>

Description

Dependencies

Values

Used As Dependency By

None

Additional Information

All Dependencies

None

All Components

None

Demo

Dynamic Mappings

- Create multiple widgets at once
- Iteration and condition

Sirius Web

localhost:5173/projects/0046e224-9281-43c5-9d2c-3558b6be4ce5/edit?selection=9e11b46a-cec6-47d8-85a9-a3b747a4d393

Studio

RUN COMMANDS... + K ?

Explorer

View

View

Papaya Form

Main Page

Planning

Iterations

Iterations

Name

Create a new Model

Select the model to create

Domain

View

Create a new Representation

Select the representation to open

Portal

Open an existing Representation

Select the representation to open

Details

Iterations

Core Properties

Name

Iterations

Iterator

iteration

Iterable Expression

aql:self.elements->filter(papaya::Iteration)

OBEO

Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=2b81bc93-6b92-43fa-bf94-6fb5d773e80a

Papaya

Sirius Web internal test project

RUN COMMANDS...

+ K

?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

New form

Main page

Planning

Iterations

Name

Iteration 2025.8.0

Name

Iteration 2025.10.0

Name

Iteration 2025.12.0

Details

New form

Core Properties

Label

New form

Documentation

Documentation

Description Name

Papaya Form



WYSIWYG

- View based form descriptions have a WYSIWYG editor
- Build your form graphically

Sirius Web

localhost:5173/projects/0046e224-9281-43c5-9d2c-3558b6be4ce5/edit/d86da424-2a24-43a5-8bb1-78dc2b643f66?selection=7d543aa9-4b0b-4d10-83d0-9520eb1d74a5

Studio

RUN COMMANDS... + K ?

Explorer

View

View

Papaya Form

FormDescriptionEditor

Main Page

Core properties

Name

Description

Homepage

Contents

Planning

Iterations

Iterations

Name

FormDescriptionEditor

Form

Pages

Main page

Planning

Drag and drop a page here

Groups

Group

Controls

For

If

Widgets

Bar Chart

Button

Checkbox

DateTime

Flexbox Container

Core properties

Name

Lorem ipsum dolor sit amet, consectetur adipiscing elit

Description

T

B

I

<>

🔗

Rich text document

Your rich text.

View on Github

Drag and drop a widget here

Contents

Elements

Value 1

Value 2

Value 3

Details

Name

Core Properties

Name

Label Expression

Name

Help Expression

The name of the project

Diagnostics Expression

aql:if self.name.size() = 0 then
Sequence{'Error: The name is required'}
else
Sequence{}
...

Value Expression

aql:self.name

Is Enabled Expression

Is Enabled Expression



Sirius Web

localhost:5173/projects/0046e224-9281-43c5-9d2c-3558b6be4ce5/edit/d86da424-2a24-43a5-8bb1-78dc2b643f66?selection=f1a71f24-05fc-40f9-a1d8-c7bf82b5270d

Studio

RUN COMMANDS... + K ?

Explorer

View

View

Papaya Form

FormDescriptionEditor

Main Page

Core properties

Name

Description

Homepage

Contents

Planning

Iterations

Iterations

Name

FormDescriptionEditor

Form

Pages

Main page

Planning

Drag and drop a page here

Groups

Group

Controls

For

If

Widgets

Bar Chart

Button

Checkbox

DateTime

Flexbox Container

Iterations

for iteration in aql:self.elements->filter(papaya::Iteration)

Name

Lorem ipsum dolor sit amet, consectetur adipiscing elit

Drag and drop a widget here

Drag and drop a widget here

Drag and drop a group here

Details

Planning

Core Properties

Name

Planning

Label Expression

Planning

Domain Type

papaya::Project

The element description "papaya::Project" does not have a valid domain class

Semantic Candidates Expression

aql:self

Precondition Expression

Precondition Expression



Studio

> RUN COMMANDS...

+ K

?

Explorer

+

↑

≡

↔

View

View

Papaya Form

FormDescriptionEditor

Main Page

Planning

Iterations

Iterations

Name

FormDescriptionEditor

Form

Pages

Page

Groups

Group

Controls

For

If

Widgets

Bar Chart

Button

Checkbox

DateTime

Flexbox Container

Main page

Planning

Drag and drop a page here

Core properties

Name

Lorem ipsum dolor sit amet, consectetur adipiscing elit

Description

T

B

I

<>

Rich text document

Your rich text.

View on Github

Drag and drop a widget here

Contents

Elements

Value 1

Value 2

Value 3

Details

Main Page

Core Properties

Name

Main Page

Label Expression

Main page

Domain Type

papaya::Project

The element description "papaya::Project" does not have a valid domain class

Semantic Candidates Expression

aql:self

Precondition Expression

Precondition Expression

Layout

- There are multiple options to change the layout
 - Flexbox container widget
 - Group style
 - Specific widget style like Textfield



Papaya

Sirius Web internal test project

> RUN COMMANDS...

+ K

?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

New form

Main page

Planning

Iterations

Name

Iteration 2025.8.0

Start Date

23/06/2025 09:00

End Date

13/08/2025 17:00

Name

Iteration 2025.10.0

Start Date

18/08/2025 09:00

End Date

08/10/2025 17:00

Name

Iteration 2025.12.0

Start Date

13/10/2025 09:00

End Date

03/12/2025 17:00

Details

New form

Core Properties

Label

New form

Documentation

Documentation

Description Name

Papaya Form



The screenshot displays the Papaya IDE interface, which is designed for defining custom web applications. The interface is divided into three main sections:

- Explorer (Left Panel):** Shows the project structure. The root is 'Papaya', which contains a 'Sirius Web Project' folder. Inside this folder, there is a 'New form' file (highlighted in pink), a 'Data' folder, a 'Requirements' folder, and a 'Specification' folder. Below these are several components: 'sirius-components-core', 'sirius-components-representations', 'sirius-components-diagrams', and 'sirius-components-forms'. At the bottom, there are three iterations: 'Iteration 2025.8.0', 'Iteration 2025.10.0', and 'Iteration 2025.12.0'.
- Main Editor (Center):** Displays the 'New form' file. It has a tab bar at the top with 'New form' (active) and 'Planning'. The editor shows the 'Core properties' of the form, including the 'Name' (Sirius Web Project) and the 'Description' (An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**). Below the description, there are three bullet points: 'Graphically represent and edit data', 'With a modern cloud-based application', and 'No Desktop Installation Required'. At the bottom of the editor, there is a 'View on Github' link and a 'Contents' section listing the components and iterations. The 'Elements' section lists the components: 'sirius-components-core', 'sirius-components-representations', 'sirius-components-diagrams', and 'sirius-components-forms'. The 'Folders' section lists the folders: 'Data' and 'Requirements'.
- Details (Right Panel):** Shows the 'Details' of the 'New form'. It includes the 'Core Properties' (Name: New form), 'Documentation' (Documentation), and 'Description Name' (Papaya Form).

Sirius Web

localhost:5173/projects/cf307e9e-a5bc-4754-a483-c03043c9f805/edit/2b81bc93-6b92-43fa-bf94-6fb5d773e80a?selection=42d44927-f8a2-4299-af24-a5b2bcab2a40

Papaya

Sirius Web internal test project

RUN COMMANDS...

+ K

?

Explorer

Papaya

Sirius Web Project

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

New form

Main page

Planning

Core properties

Name

Sirius Web Project

Description

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

Graphically represent and edit data

With a modern cloud-based application

No Desktop Installation Required

View on Github

ELEMENTS

FOLDERS

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

Folders

Data

Requirements

Specification

Related Elements

← INCOMING

↓ CURRENT

→ OUTGOING

Incoming

← Elements

Current

Parent

Sirius Web Project

Children

Outgoing

None



Style

- Various properties can be configured on most widgets
 - Font size
 - Italic, bold, underline, strikethrough
 - Background and foreground color
 - Label vs widget position, gap, ...



Papaya

Sirius Web internal test project

> RUN COMMANDS...

+ K

?

Explorer

Papaya

Sirius Web

New form

Data

Requirements

Specification

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

New form

Main page

Planning

Charts

Core properties

Name

Sirius Web

Description

An open-source **low-code** platform for defining custom **web applications** that support your specific **visual languages**

Graphically represent and edit data

With a modern cloud-based application

No Desktop Installation Required

View on Github

ELEMENTS

FOLDERS

Elements

sirius-components-core

sirius-components-representations

sirius-components-diagrams

sirius-components-forms

Iteration 2025.8.0

Iteration 2025.10.0

Iteration 2025.12.0

Folders

Data

Requirements

Specification

Details

New form

Core Properties

Label

New form

Documentation

Documentation

Description Name

Papaya Form

Representation composition


- Sirius Web representations are based on a common rendering engine
- Use concepts of **Element**, **Component** and **Props** like in React
- Made to share some concerns between representations

Representation composition


- Two strategies
 - Frontend composition -> two subscriptions
 - Backend composition -> a single subscription



Charts



Charts



Table

Sirius Web

localhost:5173/projects/cdf5f15b-0ebf-429a-b8bf-73c84e6791b8/edit/f74be474-3bb1-4f96-9598-a6fcf460e4f5?selection=a743a474-84fa-47e7-aa8b-84694a76a950

Papaya

Sirius Web internal test project

RUN COMMANDS... + K ?

Explorer

Sirius

Sirius Web

Iterations

Tasks

Contributions

Operational Analysis

Component

class diagram

Package

Concept

name

description

Sirius Web - Lifecycle

class diagram

Concept

Attributes

name

description

Operations

Details

Concept

Core Properties

Name

Concept

Description

Description

Visibility

PUBLIC

Abstract

Final

Static

Attributes

SETTINGS

	Visibility	Actions
name	PUBLIC	...
description	PUBLIC	...

Learn more

Follow these links to view the code of this Sirius Web internal test project on Github.

Backend code

Frontend code


React Flow

Conclusion

Form

- Parameterized by a description
- Large collection of widgets
- Custom widgets
- WYSIWYG editor
- Layout & styling
- Can embed charts or tables


Webinars




Webinars

- Diagrams <https://www.youtube.com/watch?v=0QrK8h1Hxgo>
- Gantt, Deck & Portal https://www.youtube.com/watch?v=W_1D3zdGYz0
- Table <https://www.youtube.com/watch?v=DI0tkHF2b-s>
- Product tour, roadmap...

https://blog.obeosoft.com




https://eclipse.dev/sirius/sirius-web.html



How to get started?

- Download Sirius Web and run it
 - See <https://github.com/eclipse-sirius/sirius-web>
 - Now available on Dockerhub 
- Integrate parts of Sirius Web in your own application
- Build a Sirius Web based application

Obeo Enterprise for Sirius



Obeo Enterprise for Sirius

- Extension for Sirius Web based applications
 - Authentication (login + password, OAuth2)
 - Authorization (private projects, team based access control, organizations, ...)
 - Webhooks
 - And more

Thank you for watching!

Questions?